

Author index to volume 89 (1991)

- Ainouche, A., Four sufficient conditions for hamiltonian graphs (*Communication*) (2) 195–200
- Albertson, M.O. and D.M. Berman, The number of cut-vertices in a graph of given minimum degree (*Note*) (1) 97–100
- Amar, D., E. Flandrin, I. Fournier and A. Germa, Pancyclism in hamiltonian graphs (2) 111–131
- Behrendt, G., The lattice of antichain cutsets of a partially ordered set (*Note*) (2) 201–202
- Berman, D.M., see Albertson, M.O. (1) 97–100
- Bryant, R.D. and H. Fredricksen, Covering the de Bruijn graph (2) 133–148
- Chernyak, A.A. and Z.A. Chernyak, Split dimension of graphs (1) 1– 6
- Chernyak, Z.A., see Chernyak, A.A. (1) 1– 6
- Colbourn, C.J., K.T. Phelps, M.J. de Resmini and A. Rosa, Partitioning Steiner triple systems into complete arcs (2) 149–160
- Constantine, G.M., see Farrell, E.J. (2) 203–210
- Cordovil, R., K. Fukuda and M.L. Moreira, Clutters and matroids (2) 161–171
- Courteau, B. and A. Montpetit, Dual distances of completely regular codes (1) 7– 15
- Damaschke, P., Irredundance number versus domination number (*Note*) (1) 101–104
- de Resmini, M.J., see Colbourn, C.J. (2) 149–160
- Exoo, G., Three color Ramsey number of $K_4 - e$ (*Note*) (3) 301–305
- Farrell, E.J., J.M. Guo and G.M. Constantine, On matching coefficients (*Note*) (2) 203–210
- Flandrin, E., see Amar, D. (2) 111–131
- Fournier, I., see Amar, D. (2) 111–131
- Fredricksen, H., see Bryant, R.D. (2) 133–148
- Fukuda, K., see Cordovil, R. (2) 161–171
- Germa, A., see Amar, D. (2) 111–131
- Guo, J.M., see Farrell, E.J. (2) 203–210
- Harzheim, E., Weakly arithmetic progressions in sets of natural numbers (*Note*) (1) 105–107
- Hoffman, D.G., C.C. Lindner and K.T. Phelps, Blocking sets in designs with block size four II (3) 221–229
- Jacobson, M.S., M. Truszczyński and Z. Tuza, Decompositions of regular bipartite graphs (1) 17– 27
- Kharaghani, H., An infinite class of Hadamard matrices of maximal excess (*Note*) (3) 307–312
- Koolen, J.H., see van den Akker, J.M. (3) 325
- Lamken, E.R., The existence of 3 orthogonal partitioned incomplete Latin squares of type t^n (3) 231–251
- Lefmann H., Non t -intersecting families of linear spaces over $GF(q)$ (2) 173–183
- Lindner, C.C., see Hoffman, D.G. (3) 221–229
- Marcu, D., The powers of two and three (*Note*) (2) 211–212
- McKee, T.A., Intersection properties of graphs (3) 253–260
- Mollard, M., Cycle-regular graphs (1) 29– 41
- Montpetit, A., see Courteau, B. (1) 7– 15
- Moreira, M.L., see Cordovil, R. (2) 161–171
- Phelps, K.T., see Colbourn, C.J. (2) 149–160
- Phelps, K.T., see Hoffman, D.G. (3) 221–229
- Richter, R.B., Spanning trees, Euler tours, medial graphs, left-right paths and cycle spaces (3) 261–268
- Rosa, A., see Colbourn, C.J. (2) 149–160
- Seifter, N., Groups acting on graphs with polynomial growth (3) 269–280
- Sharir, M. and S.S. Skiena, Tight bounds on a problem of lines and intersections (*Note*) (3) 313–314

- Šiňajová, E., A note on vector representation of graphs (*Note*) (3) 315–317
- Skiena, S.S., see Sharir, M. (3) 313–314
- Solé, P., On the parameters of codes for the Lee and modular distance (2) 185–194
- Spera, A.G., (s, k, λ) -Partitions of a vector space (*Note*) (2) 213–217
- Stahl, S., Region distributions of some small diameter graphs (3) 281–299
- Stöhr, E., The pagewidth of trivalent planar graphs (1) 43–49
- Tian, F. and W. Zang, The maximum number of diagonals of a cycle in a block and its extremal graphs (1) 51–63
- Truszczyński, M., see Jacobson, M.S. (1) 17–27
- Tuza, Z., see Jacobson, M.S. (1) 17–27
- Vaessens, R.J.M., see van den Akker, J.M. (3) 325
- van den Akker, J.M., J.H. Koolen and R.J.M. Vaessens, Perfect codes with distinct protective radii (*Addendum*) (3) 325
- Xu, C., A necessary and sufficient condition for a graph G with diameter 5 to be 2-diameter-stable (*Note*) (3) 319–324
- Xu, S., Relations between parameters of a graph (1) 65–88
- Zang, W., see Tian, F. (1) 51–63
- Zhan, S., On hamiltonian line graphs and connectivity (1) 89–95

